



GASTROENTEROLOGY CONSULTATION ADULT

Note: Refer to the clinical alerts on the back of the form and favor, if available, the protocols of the Accueil Clinique before filling it out.

Patient's first and last name			
Health insurance number	_	Year	Month
	Expiry		
Parent's first and last name			
Area code Phone number	Area code	Phone numb	oer (alt.)
Address			
Posta	l code		

Reason for co	onsulta	ition	C	linical priority	scale:	A: ≤ 3 (days	B: ≤ 10 days	C:	≤ 28 days	D: ≤ 3 months	E: ≤ 12 mor	nths
Dysphagia (excluding oropharyngeal or neuromuscular origin) Stable and intermittent Rapidly progressive						D B		ormal r enzymes		normal IN	een 201-500 IU IR (Prerequisite: CE LFT < 3 months)		В
GERD or dyspepsia	With at least one alarm symptom: Weight loss > 10% in 6 months Evidence of associated bleeding Vomiting									normal IN	een 91-200 IU a IR (Prerequisite: CE LFT < 3 months)		D
or abdominal pain										ALT betw stable for	een 40-90 IU ar 6 months		E
Could be seen directly in endoscopy										Fatty liver with ALT < 90 UI			E _
GERD or dyspepsia beginning at age > 55ans						D	Hep or C	atitis B		and withou	HBsAg with ALT ut cirrhosis		E
	Could be seen directly in endoscopy									Positive AntiHCV positif with ALT < 200 UI and without cirrhosis			E
	Reflux not controlled by PPI and with no prior gastroscopy and without alarm symptom						Compensated or new-onset cirrhosis			INR > 1.7 or total bilirubin > 34 or albumin < 28 without encephalopathy			
Positive Anti-transglutaminase (not known celiac) Could be seen directly in endoscopy						D	con by i	firmed maging equisite:			en 1, 2-1, 7, or a 8-35 or total biliru 7-34		D
			• • • • • • • • • • • • • • • • • • • •	ovmotom		E		ing report)		Normal IN	R, albumin, and t	otal bilirubin	Е
Fill out High suspicion of colorectal cancer based on imaging, chronic diarrhead						cer hea/	Jaundice with total bilirubin > 60 or > 40 with dilated bile ducts on the ultrasound with normal INR (Prerequisite: imaging report)					В	
Request a colonoscopy or the Accueil Clinique if available chronic constipation, rectorragia, FIT test positive, non-gynecologic iron deficiency anemia, suggestive IBD, diverticulitis follow-up						jical	High suspicion of cancer of the digestive tract based on imaging (excluding colorectal cancer: use form AH-702) (Prerequisite: imaging report)				В		
				on or clinical _l		modifi	catio	n				Clinical	priority
(MANDATO	ORY jus	stific	ation ii	n the next sec	etion):								
Suspected di	agnosi	s an	d clinic	cal informatio	n (man	datory)				If prerequis	site is neede	ed:
											Available	in the QHR (D	SQ)
											Attached	to this form	
Special needs		idor	4:6: a a 4:		of com/	inn				Chaman			
Referring physician identification and point of service Referring physician's name Licence no.										Stamp			
Area code Phone no. Extension Area code						ode Fax	no		_				
Name of point of serv	vice												
Signature						Da	ite (yea	r, month, day)					
Family physician: Same as referring physician Patient with Family physician's name						vith no	family physicia			red referral (if like a referral for a p ce		an or	
Name of point of service													

Clinical alerts (non-exhaustive list)

Refer the patient to the Emergency-department

- Severe gastrointestinal bleeding
- Food bolus impaction or foreign body
- Cholangitis
- Acute pancreatitis
- New-onset hepatic encephalopathy (1st episode)
- Ascites (1st episode or with fever)
- Severe acute hepatitis (ALT > 500)

Use the Accueil Clinique form if available